Brain Research, 445 (1988) 407–409
Elsevier

Author Index

Acker, H., see O'Regan, R.G., 268
Aicher, S.A., see Randich, A., 68
Aitken, D.H., see Meaney, M.J., 198
Alexander, M.J., Clifton, D.K., Matsumoto, A.M. and Steiner, R.A., Evidence that noradrenergic activity does not mediate the inhibition of luteinizing hormone secretion caused by vasoactive intestinal peptide, 247
Antelman, S.M., Knopf, S., Kocan, D., Edwards, D.J., Ritchie, J.C. and Nemeroff, C.B., One stressful event blocks multiple actions of diazepam for up to at least a month, 380
Aquilonius, S.-M., see Leenders, K.L., 61
Arata, A., see Onimaru, H., 314
Aravich, P.F., see Sladek, C.D., 39
Arbab, M.A.-R., Wiklund, L., Delgado, T. and Svendgaard, N.Aa., Stellate ganglion innervation of the vertebro-basilar arterial system demonstrated in the rat with anterograde and retrograde WGA-HRP tracing, 175
Århem, P., see Lorentz, M., 157

Balaban, C.D., Fredericks, D.A., Wurpel, J.N.D. and Severs, W.B., Motor disturbances and neurotoxicity induced by centrally administered somatostatin and vasopressin in conscious rats: interactive effects of two neuropeptides, 117
Bánky, Z., Molnár, J., Csernus, V. and Halász, B., Further studies on circadian hormone rhythms after local pharmacological destruction of the serotoninergic innervation of the rat suprachiasmatic region before the onset of the corticosterone rhythm, 222
Baskys, A., see Niesen, C.E., 137
Ben Ari, Y., see Cherubini, E., 91
Bénavidès, J., see Dubois, A., 77
Bergström, K., see Leenders, K.L., 61
Bhatnagar, S., see Meaney, M.J., 198
Bisby, M.A., see Tetzlaff, W., 142
Bjurling, P., see Leenders, K.L., 61
Blair, M.L., see Sladek, C.D., 39
Bloedel, J.R., see Lou, J.-S., 171
Boegman, R.J. and Parent, A., Differential sensitivity of neuropeptide Y, somatostatin and NADPH-diaphorase containing neurons in rat cortex and striatum to quinolinic acid, 358
Bongianni, F., Fontana, G. and Pantaleo, T., Effects of electrical and chemical stimulation of the Bötzinger complex on respiratory activity in the cat, 254
Brodin, L., see Ohta, Y., 400
Buckley, N.J., Saffrey, M.J., Hassall, C.J.S. and Burnstock, G., Localization of muscarinic receptors on peptide-containing neurones of the guinea pig myenteric plexus in tissue culture, 152
Buño Jr., W., see Magariños-Ascone, C., 30
Burnstock, G., see Buckley, N.J., 152

Cao, C.Q., see Shigenaga, Y., 392
Carlen, P.L., see Niesen, C.E., 137
Carp, R.I., see Quinn, M.R., 297
Chamberlain, N.L. and Dingledine, R., GABAergic inhibition and the induction of spontaneous epileptiform activity by low chloride and high potassium in the hippocampal slice, 12
Cherubini, E., Neuman, R., Rovira, C. and Ben Ari, Y., Epileptogenic properties of the mast cell degranulating peptide in CA3 hippocampal neurones, 91
Clemens, J., see Smith, M., 241
Clifton, D.K., see Alexander, M.J., 247
Comer, C.M., Dowd, J.P. and Stubblefield, G.T., Escape responses following elimination of the giant interneuron pathway in the cockroach, *Periplaneta americana*, 370
Crain, S.M., see Makman, M.H., 303
Crossman, A.R., see Leenders, K.L., 61
Csernus, V., see Bánky, Z., 222

Dantzer, R., see Tazi, A., 211
Davis, M., see Spiera, R.F., 130
Delgado, T., see Arbab, M.A.-R., 175
Devine, M.A., see Sladek, C.D., 39
De Weille, J.R., Vijverberg, H.P.M. and Narahashi, T., Interactions of pyrethroids and octylguanidine with sodium channels of squid giant axons, 1
Dingledine, R., see Chamberlain, N.L., 12
Dluzen, D.E., Laping, N.J. and Ramirez, V.D., The importance of striatal interneurons in age-related effects upon potassium- and amphetamine-stimulated dopamine release, 354
Dowd, J.P., see Comer, C.M., 370
Dreifuss, J.J., see Wuarin, J.-P., 289
Dubois, A., Bénavidès, J., Peny, B., Duverger, D., Fage, D., Gotti, B., MacKenzie, E.T. and Scatton, B., Imaging of primary and remote ischaemic and excitotoxic brain lesions. An autoradiographic study of peripheral type benzodiazepine binding sites in the rat and cat, 77
Dubois-Duaphin, M., see Wuarin, J.-P., 289
Duverger, D., see Dubois, A., 77
Dvorkin, B., see Makman, M.H., 303

Eckernas, S.-Å., see Leenders, K.L., 61
Edwards, D.J., see Antelman, S.M., 380

Fage, D., see Dubois, A., 77
Felten, S.Y., see Sladek, C.D., 39
Feng, Z.-C., Roberts Jr., E.L., Sick, T.J. and Rosenthal, M., Depth profile of local oxygen tension and blood flow in rat cerebral cortex, white matter and hippocampus, 280
Fibiger, H.C., see Radke, J.M., 55
Fink, D.J., see Mata, M., 47
Flynn, F.W., see Tordoff, M.G., 216
Fontana, G., see Bongianni, F., 254
Fredericks, D.A., see Balaban, C.D., 117
Friedman, M.I., see Tordoff, M.G., 216
Frosch, M.P., see Madison, R.D., 101
Funakoshi, M., see Tonosaki, K., 363

García-Austt, E., see Magariños-Ascone, C., 30
Garris, D.R. and Michel, M.E., Regional brain glucose uptake in genetically diabetic C57BL/KsJ mice: modulation by the opiate antagonist, Nalmefene, 262
Gee, A.G., see Leenders, K.L., 61

Gilad, G.M., see Teztlaff, W., 142
Gilad, V.H., see Tetzlaff, W., 142
Goldsmith, M. and Van der Kooy, D., Separate non-cholinergic descending projections and cholinergic ascending projections from the nucleus tegmenti pedunculopontinus, 386
Gotti, B., see Dubois, A., 77
Grill, H.J., see Tordoff, M.G., 216
Grillner, S., see Ohta, Y., 400

Halász, B., see Bánky, Z., 222
Hambrecht, K.L., see Robinson, S.E., 160
Handa, R.J., Roselli, C.E. and Resko, J.A., Distribution of androgen receptor in microdissected brain areas of the female baboon (*Papio cynocephalus*), 111
Hartvig, P., see Leenders, K.L., 61
Hassall, C.J.S., see Buckley, N.J., 152
Hazato, T., see Shimamura, M., 350
Hedlund, B., see Lorentz, M., 157
Henry, J.L., see Rochford, J., 404
Hökfelt, T., see Ohta, Y., 400
Homma, I., see Onimaru, H., 314
Hu, Y., see Liu, D., 205

Imai-Matsumura, K., Matsumura, K., Tsai, C.-L. and Nakayama, T., Thermal responses of ventromedial hypothalamic neurons in vivo and in vitro, 193
Iwaguchi, T., see Shimamura, M., 350

Johnson, K.M., see Yi, S.-J., 147
Jones, D.J., see Simmons, R.M.A., 338

Kamiya, H., see Takano, Y., 188
Karadi, Z., see Nishino, H., 325
Kawamata, S., see Nishino, H., 325
Kerchner, G.A., see Smith, M., 241
Kim, Y.S., see Quinn, M.R., 297
Knopf, S., see Antelman, S.M., 380
Kocan, D., see Antelman, S.M., 380
Kurosawa, M., see Takano, Y., 188

Långström, B., see Leenders, K.L., 61
Laping, N.J., see Dluzen, D.E., 354
Leenders, K.L., Aquilonius, S.-M., Bergström, K., Bjurling, P., Crossman, A.R., Eckernas, S.-Å., Gee, A.G., Hartvig, P., Lundqvist, H., Långström, B., Rimland, A. and Tedroff, J., Unilateral MPTP lesion in a rhesus monkey: effects on the striatal dopaminergic system measured in vivo with PET using various novel tracers, 61
Le Moal, M., see Tazi, A., 211
Leonard, C., see Tetzlaff, W., 142
Littlewood, P.M.H. and Simmons, P.J., Hexamminecobaltic chloride provides a simple method for marking neurones for electron microscopy, 165
Liu, D. and Hu, Y., The central projections of the great auricular nerve primary afferent fibers — an HRP transganglionic tracing method, 205
Lorentz, M., Hedlund, B. and Århem, P., Morphine activates calcium channels in cloned mouse neuroblastoma cell lines, 157
Lossinsky, A.S., see Quinn, M.R., 297
Lou, J.-S. and Bloedel, J.R., A study of cerebellar cortical involvement in motor learning using a new avoidance conditioning paradigm involving limb movement, 171
Lundqvist, H., see Leenders, K.L., 61

Lyeth, B.G., see Robinson, S.E., 160

MacKenzie, E.T., see Dubois, A., 77
Macklis, J.D., see Madison, R.D., 101
MacLennan, A.J., see Radke, J.M., 55
Madison, R.D., Macklis, J.D. and Frosch, M.P., Non-invasive laser microsurgery selectively damages populations of labeled mouse neurons: dependence on incident laser dose and absorption, 101
Magariños-Ascone, C., Buño Jr., W. and García-Austt, E., Monkey pulvinar units related to motor activity and sensory response, 30
Makman, M.H., Dvorkin, B. and Crain, S.M., Modulation of adenylate cyclase activity of mouse spinal cord–ganglion explants by opioids, serotonin and pertussis toxin, 303
Mata, M., Staple, J. and Fink, D.J., Cytochemical localization of Ca^{2+}-ATPase activity in peripheral nerve, 47
Matsumoto, A.M., see Alexander, M.J., 247
Matsumura, K., see Imai-Matsumura, K., 193
McFarland, D.J., see Seegal, R.F., 234
Meaney, M.J., Viau, V., Aitken, D.H. and Bhatnagar, S., Stress-induced occupancy and translocation of hippocampal glucocorticoid receptors, 198
Mendelsohn, L.G., see Smith, M., 241
Michel, M.E., see Garris, D.R., 262
Mimura, K., Cytochrome oxidase histochemistry in the effect of light deprivation on the fly visual system, 228
Mitsuhiro, Y., see Shigenaga, Y., 392
Molnár, J., see Bánky, Z., 222

Nagashima, A., see Takano, Y., 188
Nakayama, T., see Imai-Matsumura, K., 193
Narahashi, T., see De Weille, J.R., 1
Nemeroff, C.B., see Antelman, S.M., 380
Neuman, R., see Cherubini, E., 91
Niesen, C.E., Baskys, A. and Carlen, P.L., Reversed ethanol effects on potassium conductances in aged hippocampal dentate granule neurons, 137
Nishino, H., Ono, T., Shibata, R., Kawamata, S., Watanabe, H., Shiosaka, S., Tohyama, M. and Karadi, Z., Adrenal medullary cells transmute into dopaminergic neurons in dopamine-depleted rat caudate and ameliorate motor disturbances, 325

Ohta, Y., Brodin, L., Grillner, S., , Hökfelt, T. and Walsh, J.H., Possible target neurons of the reticulospinal cholecystokinin (CCK) projection to the lamprey spinal cord: immunohistochemistry combined with intracellular staining with Lucifer yellow, 400
Onimaru, H., Arata, A. and Homma, I., Primary respiratory rhythm generator in the medulla of brainstem–spinal cord preparation from newborn rat, 314
Ono, T., see Nishino, H., 325
O'Regan, M.H. and Phillis, J.W., Potentiation of adenosine-evoked depression of rat cerebral cortical neurons by triazolam, 376
O'Regan, R.G. and Acker, H., Effects of changes in chemoreceptor activity on extracellular K^+ and Ca^{2+} activities in the cat carotid body, 268

Pantaleo, T., see Bongianni, F., 254
Parent, A., see Boegman, R.J., 358
Peny, B., see Dubois, A., 77
Phillis, J.W., see O'Regan, M.H., 376

Quinn, M.R., Kim, Y.S., Lossinsky, A.S. and Carp, R.I., Influence of stereotaxically injected scrapie on neurotransmitter systems of mouse cerebellum, 297

Radke, J.M., MacLennan, A.J., Vincent, S.R. and Fibiger, H.C., Comparison between short- and long-term haloperidol administration of somatostatin and substance P concentrations in the rat brain, 55
Raggenbass, M., see Wuarin, J.-P., 289
Ramirez, V.D., see Dluzen, D.E., 354
Randich, A. and Aicher, S.A., Medullary substrates mediating antinociception produced by electrical stimulation of the vagus, 68
Resko, J.A., see Handa, R.J., 111
Rimland, A., see Leenders, K.L., 61
Ritchie, J.C., see Antelman, S.M., 380
Roberts Jr., E.L., see Feng, Z.-C., 280
Robinson, S.E., Hambrecht, K.L. and Lyeth, B.G., Basal forebrain carbachol injection reduces cortical acetylcholine turnover and disrupts memory, 160
Rochford, J. and Henry, J.L., Lack of effect of adrenal denervation on analgesia elicited by continuous and intermittent cold water swim in the rat, 404
Roselli, C.E., see Handa, R.J., 111
Rosenthal, M., see Feng, Z.-C., 280
Rovira, C., see Cherubini, E., 91

Saffrey, M.J., see Buckley, N.J., 152
Sato, A., see Takano, Y., 188
Scatton, B., see Dubois, A., 77
Seegal, R.F. and McFarland, D.J., Stereotaxic microinjection of HSV-1 selectively decreases striatal dopamine concentrations in mice, 234
Severs, W.B., see Balaban, C.D., 117
Shibata, R., see Nishino, H., 325
Shigenaga, Y., Mitsuhiro, Y., Yoshida, A., Cao, C.Q. and Tsuru, H., Morphology of single mesencephalic trigeminal neurons innervating masseter muscle of the cat, 392
Shimamura, M., Hazato, T. and Iwaguchi, T., A new aminopeptidase in monkey cerebral membrane fraction: hydrolysis of enkephalin, 350
Shiosaka, S., see Nishino, H., 325
Sick, T.J., see Feng, Z.-C., 280
Simmons, P.J., see Littlewood, P.M.H., 165
Simmons, R.M.A. and Jones, D.J., Binding of [^{3}H]prazosin and [^{3}H]*p*-aminoclonidine to α-adrenoceptors in rat spinal cord, 338
Sladek, C.D., Devine, M.A., Felten, S.Y., Aravich, P.F. and Blair, M.L., Abnormalities in hypothalamic and neurohypophysial vasopressin content are not a consequence of hypertension in the spontaneously hypertensive rat, 39
Smith, M., Clemens, J., Kerchner, G.A. and Mendelsohn, L.G., The insulin-like growth factor-II (IGF-II) receptor of rat brain: regional distribution visualized by autoradiography, 241
Snell, L.D., see Yi, S.-J., 147
Spiera, R.F. and Davis, M., Excitatory amino acid antagonists depress acoustic startle after infusion into the ventral nucleus of the lateral lemniscus or paralemniscal zone, 130
Staple, J., see Mata, M., 47
Steiner, R.A., see Alexander, M.J., 247
Stubblefield, G.T., see Comer, C.M., 370
Svendgaard, N.Aa., see Arbab, M.A.-R., 175

Takano, Y., Nagashima, A., Kamiya, H., Kurosawa, M. and Sato, A., Well-maintained reflex responses of sympathetic nerve activity to stimulation of baroreceptor, chemoreceptor and cutaneous mechanoreceptors in neonatal capsaicin-treated rats, 188
Tazi, A., Dantzer, R. and Le Moal, M., Schedule-induced polydipsia experience decreases locomotor response to amphetamine, 211
Tedroff, J., see Leenders, K.L., 61
Tetzlaff, W., Gilad, V.H., Leonard, C., Bisby, M.A. and Gilad, G.M., Retrograde changes in transglutaminase activity after peripheral nerve injuries, 142
Tohyama, M., see Nishino, H., 325
Tonosaki, K. and Funakoshi, M., Voltage- and current-clamp recordings of the receptor potential in mouse taste cell, 363
Tordoff, M.G., Flynn, F.W., Grill, H.J. and Friedman, M.I., Contribution to fat metabolism to 'glucoprivic' feeding produced by fourth ventricular 5-thio-D-glucose, 216
Torrealba, G., see Zapata, P., 19
Tsai, C.-L., see Imai-Matsumura, K., 193
Tsuru, H., see Shigenaga, Y., 392

Van der Kooy, D., see Goldsmith, M., 386
Viau, V., see Meaney, M.J., 198
Vijverberg, H.P.M., see De Weille, J.R., 1
Vincent, S.R., see Radke, J.M., 55

Walsh, J.H., see Ohta, Y., 400
Watanabe, H., see Nishino, H., 325
Weerasuriya, A., Patterns of change in endoneurial capillary permeability and vascular space during Wallerian degeneration, 181
Wiklund, L., see Arbab, M.A.-R., 175
Wuarin, J.-P., Dubois-Dauphin, M., Raggenbass, M. and Dreifuss, J.J., Effect of opioid peptides on the paraventricular nucleus of the guinea pig hypothalamus is mediated by μ-type receptors, 289
Wurpel, J.N.D., see Balaban, C.D., 117

Xie, X., Inhibition of long-term potentiation of the hippocampal CA1 EPSP by a negative cooperativity, 367

Yi, S.-J., Snell, L.D. and Johnson, K.M., Linkage between phencyclidine (PCP) and *N*-methyl-D-aspartate (NMDA) receptors in the cerebellum, 147
Yoshida, A., see Shigenaga, Y., 392

Zapata, P. and Torrealba, G., Reflex effects evoked by stimulation of hypoglossal afferent fibers, 19